



Building Department

POOL PERMIT APPLICATION

Homeowners Name _____

Address _____ Phone _____

Name/Address/Phone of Contractor or Person installing the pool:

Electrical Contractor: _____

Plumbing Contractor: _____

ALL CONTRACTORS MUST BE REGISTERED IN THE TOWN OF CHESTERTON

1. Copy of survey plat. Draw on plat the pool showing the dimensions of the pool as well as the dimensions from the pool to the property line and to the house.
2. Estimated cost of project _____
3. Legal description of property _____
4. Will there be a gas pool heater? **YES** _____ **NO** _____
5. Cost of pool permit is \$50.00. Electrical permit is \$80.00.
An additional \$30.00 for a pool heater.
6. Is this property in a Floodplain? **YES** _____ **NO** _____
If yes, please fill out and submit the **Floodplain Development Permit Application**.

REQUIRED INSPECTIONS: POOL STAKE, ELECTRIC, UNDERGROUND PLUMBING, BONDING, CONCRETE (INGROUND POOLS), AND FINAL. INSPECTIONS ARE REQUIRED BEFORE FILLING IN TRENCHES AND WHEN THE RECEPTACLE IS MOUNTED ON THE POLE OR DECKING.



Building Department

POOL INSTALLATION REQUIREMENTS

The following items (below) must be clearly shown on a complete construction plan and submitted along with the pool application.

1. All swimming pool construction, including associated fencing, means of access, and decking, shall conform to the regulations set forth in Indiana Administration Code Title 675, Article 20: Swimming Pool Code (675 IAC 20-4) and all other relevant state statutes, as amended from time to time.
2. Utilities cannot be located above the pool.
3. Pools must be a minimum of 5' from underground service lines.
4. Pool is not allowed in any rear or side utility/drainage easements. Pool is not allowed in the side yard setback. If there is no rear yard drainage easement, then the pool must be a minimum of five (5) feet from the rear property line. Pool must be a minimum of ten (10) feet from the house. Pumps, filters and other equipment installations shall be similarly restricted to the requirements of this paragraph, except the equipment can be closer than 10' to the house.
5. A minimum 5' barrier surrounding the pool is required (fenced yard or pool fence with a locking gate if pool is less than 5' above grade). All gates shall be equipped with self-closing and self-latching devices placed at the top of the gate. Retractable stairs which are self-latching are acceptable substitutes for closing gates.
6. An in ground pool must have a power safety cover that meets ASTM F1346 and must have a carrying capacity of at least 485 pounds, in lieu of fence.
7. Electrical Requirements:
 - a. Direct burial cable – minimum trench depth 24"
 - b. PVC conduit – minimum trench depth 18"
 - c. Rigid metal conduit – minimum trench depth 6"
 - d. GFCI receptacle should be mounted on a 4" by 4" post and located 6' or more from the pool.
 - e. Grounding and bonding must meet National Electric Code
 - f. If running a gas pipe, there must be a minimum 1' separation between the gas and electric lines.